

## UHF CONNECTORS

### UHF SPECIFICATIONS

#### MATERIALS:

Body : Brass  
 Contacts: Nickel plated brass  
 Dielectric: Delrin

#### ELECTRICAL:

Nominal Impedance: Non constant  
 Frequency Range: 0-500MHz  
 Voltage Rating: 500VAC  
 Withstanding Voltage: 1000V RMS  
 Insulation Resistance: 5000MΩ min.




### UHF CHASSIS JACK

**21-238-0** Bulk Package  
**21-238-1** Bulk Package



### UHF CHASSIS JACK

**21-239-0** Bulk Package  
**21-239-1** Bulk Package



### UHF STANDARD PLUG



For RG8/u - use reducing adapters below for RG58 or 59

**21-259-0** Bulk Package  
**21-259-1** Bulk Package

### UHF REDUCING ADAPTER



**21-260-0** RG58/u  
**21-261-0** RG59/u  
 Use -2 for Display Package



### UHF TRIPLE JACK

**21-264-0** Bulk Package  
**21-264-1** Bulk Package



### UHF 'T'

**21-265-0** Bulk Package  
**21-265-1** Bulk Package



### MALE UHF JOINER

**21-266-0** Bulk Package  
**21-266-1** Bulk Package



### UHF BULKHEAD MOUNT

50mm long with mtg. nuts  
**21-267-0** Bulk Package  
**21-267-1** Bulk Package



### FEMALE UHF JOINER

**21-268-0** Bulk Package  
**21-268-1** Bulk Package



### UHF RIGHT ANGLE

**21-269-0** Bulk Package  
**21-269-1** Bulk Package

## BNC CONNECTORS

### BNC SPECIFICATIONS

#### MATERIALS:


Body: Nickel plated brass  
 Contacts: Gold plated brass or phosphor bronze  
 Dielectric: Delrin

#### ELECTRICAL:

Nominal Impedance: 50Ω  
 Frequency range: 0-4 GHz  
 Voltage rating: 500VAC  
 Withstanding voltage: 1500V RMS  
 Insulation resistance: 5000MΩ min.

### ISOLATED CHASSIS JACK


**21-337-0** Bulk Package  
**21-337-1** Bulk Package



### CHASSIS JACK



**21-338-0** Bulk Package  
**21-338-1** Bulk Package



### CRIMP PLUG



**New Item** **21-344-0** RG174/U  
**21-346-0** RG6/U  
**21-348-0** RG58/u  
**21-349-0** RG59/u  
 Use -1 for Display Package

### CRIMP JACK



**21-350-0** Bulk Package  
**21-350-1** Bulk Package  
 for RG58/u

### BNC TERMINATORS



**21-351-0** 50Ω  
**21-352-0** 75Ω  
 Use -1 for Display Package

### TWIST-ON PLUG



**21-353-0** RG58/u  
**21-354-0** RG59/u  
 Use -1 for Display Package

### STANDARD PLUG (Clamp Type)



**21-358-0** RG58/u  
**21-359-0** RG59/u  
 Use -1 for Display Package

### TRIPLE JACK



**21-364-0** Bulk Package  
**21-364-1** Bulk Package

**'T' CONNECTOR**



**21-365-0** Bulk  
**21-365-1** Package

**FEMALE JOINER**



**21-368-0** Bulk  
**21-368-1** Package

**MALE JOINER**



**21-366-0** Bulk  
**21-366-1** Package

**RIGHT ANGLE ELBOW**




**21-369-0** Bulk  
**21-369-1** Package

**PANEL MOUNT JACK**



**21-367-0** Bulk  
**21-367-1** Package



**RUBBER CABLE BOOTS**

These rubber boots for BNC crimp connectors provide a professional molded look to coaxial cables.



**21-398-0** RG58/u  
**21-399-0** RG59/u  
Use -6 for Display Package

**N CONNECTORS**

**SPECIFICATIONS**


**MATERIALS:**

Body: Nickel plated brass  
Contacts: Gold plated brass or phosphor bronze  
Dielectric: Delrin

**ELECTRICAL:**

Nominal Impedance: 50Ω  
Frequency range: 0-4 GHz  
Voltage rating: 500VAC  
Withstanding voltage: 1500V RMS  
Insulation resistance: 5000MΩ min.

**CHASSIS JACK**



**21-439-0** Bulk  
**21-439-1** Package

**'T' CONNECTOR**



**21-465-0** Bulk  
**21-465-1** Package

**CRIMP/SOLDER PLUG (RG58/u)**



**21-450-0** Bulk  
**21-450-1** Package

Centre-pin soldered

**MALE JOINER**



**21-466-0** Bulk  
**21-466-1** Package

**STANDARD PLUG (RG8/u)**



**21-457-0** Bulk  
**21-457-1** Package

**FEMALE JOINER**



**21-468-0** Bulk  
**21-468-1** Package

**STANDARD PLUG (RG58/u)**



**21-458-0** Bulk  
**21-458-1** Package

**RIGHT ANGLE ELBOW**



**21-469-0** Bulk  
**21-469-1** Package

**Special Order Products**  
If you have a requirement for items not shown in this Catalog, please contact Main Electronics and we would be pleased to find an economical source.

**Main Electronic Supplies Ltd**  
4554 Main Street  
Vancouver B.C. V5V 3R5  
Phone: 604-872-0267  
Fax: 604-872-0268  
Toll Free: 1-800-972-6246  
[www.mainelectronics.com](http://www.mainelectronics.com)

## MINI UHF CONNECTORS

### MINI UHF SPECIFICATIONS

#### MATERIALS:

Body : Brass  
 Contacts: Nickel plated brass  
 Dielectric: Delrin

#### ELECTRICAL:

Nominal Impedance: Non constant  
 Frequency Range: 0-2GHz  
 Voltage Rating: 500VAC  
 Withstanding Voltage: 1000V RMS  
 Insulation Resistance: 5000MΩ min.

### CHASSIS JACK



21-538-0 Bulk  
 21-538-1 Package

### CRIMP PLUG RG58/u



21-548-0 Bulk  
 21-548-1 Package

### 'T' CONNECTOR



21-564-0 Bulk  
 21-564-1 Package

### 'T' CONNECTOR



21-565-0 Bulk  
 21-565-1 Package

### MALE JOINER



21-566-0 Bulk  
 21-566-1 Package

### FEMALE JOINER



21-568-0 Bulk  
 21-568-1 Package

### RIGHT ANGLE ELBOW



21-569-0 Bulk  
 21-569-1 Package

## SMA CONNECTORS

### SMA SPECIFICATIONS

#### MATERIALS:

Body: Nickel plated brass  
 Contacts: Gold plated brass or phosphor bronze  
 Dielectric: Delrin

#### ELECTRICAL:

Nominal Impedance: 50Ω  
 Frequency range: 0-12.4 GHz  
 Voltage rating: 500VAC  
 Withstanding voltage: 1500V RMS  
 Insulation resistance: 5000MΩ min.

## TNC CONNECTORS

### TNC SPECIFICATIONS

#### MATERIALS:

Body: Nickel plated brass  
 Contacts: Gold plated brass or phosphor bronze  
 Dielectric: Delrin

#### ELECTRICAL:

Nominal Impedance: 50Ω  
 Frequency range: 0-4 GHz  
 Voltage rating: 500VAC  
 Withstanding voltage: 1500V RMS  
 Insulation resistance: 5000MΩ min.

### CRIMP CHASSIS JACK (RG58/u)



21-736-0 Bulk  
 21-736-1 Package

### CRIMP PLUG (RG58/u)



21-748-0 Bulk  
 21-748-1 Package

### CRIMP PLUG (RG59/u)



21-749-0 Bulk  
 21-749-1 Package

### STANDARD PLUG (RG58/u)



21-758-0 Bulk  
 21-758-1 Package

### FEMALE JOINER



21-768-0 Bulk  
 21-768-1 Package

### RIGHT ANGLE ELBOW



21-769-0 Bulk  
 21-769-1 Package

### CRIMP PLUG FOR RG174/U



21-847-0 Bulk  
 21-847-1 Package

### CRIMP PLUG FOR RG58/U



21-848-0 Bulk  
 21-848-1 Package

### FEMALE JOINER



21-868-0 Bulk  
 21-868-1 Package